

TS-800R

- Antiscale & Anticorrosive Agent For Boiler Pipe Water

TS-800R has good effect on preventing inside boiler corrosion and scale phenomenon of boiler pipe water's hardness component(Ca^{++} , Mg^{++}) by heat.

◆ SPECIFICATION

* APPEARANCE	Yellowish Liquid
* IONIC NATURE	Anionic
* pH (1% aq. Sol'n)	11.5 ± 1.0
* SP.GR(at 25°C)	1.05 ± 0.05
* SOLUBILITY	Easily soluble in cold water.
* STORAGE STABILITY	Min. 1 year under cool and dry conditions when stored in original sealed, packaging.
* COMPATABILITY	Compatible with anionic and nonionic materials.

◆ FEATURES

- 1) **TS-800R** has excellent softening effect on hard water.
- 2) **TS-800R** has excellent anticorrosive effect, so a life span of boiler is lengthened.
- 3) **TS-800R** has excellent antiscale effect. Therefore it reduce the creation of scale inside boiler.
- 4) It is environmental-friendly product as APEO-free and NPEO-free.

◆ APPLICATION AREA

For boiler pipe water

◆ HOW TO USE

- 1) Initial injection of **TS-800R** : Put in 1kg per 1ton of pipe water. Ex) In case of 10ton boiler, the injection of **TS-800R** is 10kg.
- 2) Supply injection of **TS-800R** :
Put in 100g per ton of pipe water and running hour.
Ex) In case 10ton boiler is running for 10 hours day for 1 months,
 $10\text{ton}(\text{pipe water amount}) \times 100\text{g}(\text{TS-800R amount}) \times 10 \text{ hours} \times 30 \text{ days}$
 $= 300\text{kg}$

◆ Caution : Do not use **TS-800R** for other use except boiler pipe water.

◆ PACKAGE

120 Kgs NET IN DRUMS.



Ro Chem International SDN BHD

11-3-2, Block-I, Jalan 3/101C, Cheras Business Center
Jalan Cheras, Batu5, 56100, Kuala Lumpur, Malaysia

Cell No : +601116622841, E-mail : info@rochemint.com, www.rochemint.com